







## North Kent Marshes field trips with Ken Palmer, 1976 to 2002

The data below under 'FULL DATA' are reproduced from the spreadsheet kept by Ken Palmer during the period of the North Kent Marshes field trips. The species have the contemporary systematic order and common names. A summary appears in LBR 76: 229-232

An Introduction by David Montier, including comments on some species, is at

<http://www.Inhs.org.uk/Publications.htm#LBR2011>

FULL DATA																					SUMMARY																																					
																					TOTAL / 41	Frequency	First recorded	Last recorded																																		
Date of trip	26/09/1976	25/09/1977	24/09/1978	23/09/1979	28/09/1980	27/09/1981	17/10/1982	09/10/1983	14/10/1984	17/02/1985	03/11/1985	19/10/1986	28/02/1987	08/11/1987	05/03/1988	15/10/1988	25/02/1989	11/11/1989	03/03/1990	18/11/1990	17/03/1991	24/11/1991	15/03/1992	29/11/1992	07/03/1993	31/10/1993	05/03/1994	22/10/1994	05/08/1995	31/08/1996	23/11/1996	02/08/1997	29/11/1997	15/08/1998	14/11/1998	14/08/1999	05/08/2000	04/11/2000	18/08/2001	20/10/2001	09/11/2002																	
Species recorded on each trip ('1' indicates the presence of that species on the above date)																					Species																																					
Stock Dove	1			1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28	68%	76	02										
Woodpigeon	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	39	95%	76	02								
Collared Dove	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	36	88%	76	02								
Turtle Dove					1																																											6	15%	80	00							
Cuckoo				1																																												2	5%	79	99							
Barn Owl						1							1		1					1																												1	13	32%	81	02						
Little Owl																																																	1	10	24%	90	02					
Tawny Owl														1	1	1	1																																	9	22%	87	93					
Long-eared Owl																																																		14	34%	85	00					
Short-eared Owl																																																		3	7%	92	02					
Swift						1																																												6	15%	81	01					
Kingfisher		1			1																																														8	20%	77	96				
Green Woodpecker																																																				19	46%	86	02			
Great Spotted Woodpecker																																																				10	24%	86	01			
Lesser Spotted Woodpecker		1																																																		1	2%	77	77			
Skylark	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	38	93%	76	02						
Shore Lark																																																					1	2%	98	98		
Sand Martin		1	1			1		1																																												10	24%	77	01			
Swallow	1	1	1	1	1	1	1	1	1		1					1																																				18	44%	76	01			
House Martin		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15	37%	77	01				
Meadow Pipit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	41	100%	76	02					
Water Pipit																																																					2	5%	00	01		
Rock Pipit	1			1	1											1	1	1																																			17	41%	76	02		
Yellow Wagtail		1	1		1	1																																															10	24%	77	01		
Grey Wagtail																																																					1	2%	02	02		
Pied Wagtail		1	1																																																			29	71%	77	02	
White Wagtail																																																						1	2%	91	91	
Wren	1	1			1											1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	31	76%	76	02				
Duncock	1	1			1	1										1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	37	90%	76	02			
Robin	1	1			1	1										1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	36	88%	76	02			
Whinchat	1		1	1												1																																							8	20%	76	01





## North Kent Marshes field trips with Ken Palmer, 1976 to 2002

The data below under 'FULL DATA' are reproduced from the spreadsheet kept by Ken Palmer during the period of the North Kent Marshes field trips. The species have the contemporary systematic order and common names. A summary appears in LBR 76: 229-232

An Introduction by David Montier, including comments on some species, is at

<http://www.Inhs.org.uk/Publications.htm#LBR2011>

FULL DATA		SUMMARY		
		Frequency	First recorded	Last recorded
		TOTAL / 41		
	09/11/2002			
	20/10/2001			
	18/08/2001			
	04/11/2000			
	05/08/2000			
	14/08/1999			
	14/11/1998			
	15/08/1998			
	29/11/1997			
	02/08/1997			
	23/11/1996			
	31/08/1996			
	05/08/1995			
	22/10/1994			
	05/03/1994			
	31/10/1993			
	07/03/1993			
	29/11/1992			
	15/03/1992			
	24/11/1991			
	17/03/1991			
	18/11/1990			
	03/03/1990			
	11/11/1989			
	25/02/1989			
	15/10/1988			
	05/03/1988			
	08/11/1987			
	28/02/1987			
	19/10/1986			
	03/11/1985			
	17/02/1985			
	14/10/1984			
	09/10/1983			
	17/10/1982			
	27/09/1981			
	28/09/1980			
	23/09/1979			
	24/09/1978			
	25/09/1977			
	26/09/1976			
	Date of trip			
Species recorded on each trip ('1' indicates the presence of that species on the above date)		Species		
Locations visited on each trip ('1' indicates a visit to that location on the above date)		Freq.	1st	Last
Grain		21	51%	85 02
Cooling		2	5%	96 98
All Hallows/Yantlet	1	26	63%	76 02
Coombe Bay		8	20%	85 93
Egypt/St Mary's Bay		3	7%	87 96
Cliffe	1	35	85%	77 01
Eastborough Farm		7	17%	94 00
Northward Hill		1	2%	01 01
High Halstow		1	2%	02 02